

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/927,009	08/09/2001	Pankaj Vinubhai Shah	A01098A 4173		
7590 08/30/2005			EXAMINER		
Ronald D. Bakule			GOFF II, JOHN L		
Rohm and Haas	Company				
100 Independen	ce Mall West	ART UNIT	PAPER NUMBER		
Philadelphia, P.	A 19106	1733			
			DATE MAILED: 08/30/2005		

Please find below and/or attached an Office communication concerning this application or proceeding.

,		Applicati	on No.	Applicant(s)					
		09/927,0	09	SHAH, PANKAJ VINUBHAI					
Office Action Summary			r	Art Unit					
		John L. G		1733					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply									
THE - External after - If the - If NO - Failure - Any I	ORTENED STATUTORY PERIOD FOR MAILING DATE OF THIS COMMUNION Insigns of time may be available under the provisions of SIX (6) MONTHS from the mailing date of this comminate of the reply specified above is less than thirty (30 period for reply is specified above, the maximum state to reply within the set or extended period for reply very reply received by the Office later than three months after the provided by the Office later than three months after the provided by the Office later than three months after the provided by the Office later than three months after the provided by the Office later than three months after the provided by the Office later than three months after the provided by the Office later than three months after the provided by the Office later than three months after the provisions of the prov	CATION. of 37 CFR 1.136(a). In no evalunication. of days, a reply within the statutory period will apply and will, by statute, cause the app	vent, however, may a reply tutory minimum of thirty (30 vill expire SIX (6) MONTHS plication to become ABAND	be timely filed) days will be considered time from the mailing date of this of					
Status									
1)[🖂	Responsive to communication(s) filed	d on <u>08 July 2005</u> .							
2a)⊠	↑ This action is FINAL . 2b) This action is non-f		non-final.						
3)	3) Since this application is in condition for allowance except for formal matters, prosecution as to the ments is								
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.								
Disposition of Claims									
4)⊠	4)⊠ Claim(s) <u>1-4</u> is/are pending in the application.								
-	4a) Of the above claim(s) is/are withdrawn from consideration.								
5) Claim(s) is/are allowed.									
·	6)⊠ Claim(s) <u>1-4</u> is/are rejected.								
· · · · · · · · · · · · · · · · · · ·									
8)□	Claim(s) are subject to restrict	tion and/or election i	equirement.						
Application Papers									
9)[The specification is objected to by the	Examiner.							
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.									
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).									
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).									
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.									
Priority u	ınder 35 U.S.C. § 119								
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:									
1. Certified copies of the priority documents have been received.									
2. Certified copies of the priority documents have been received in Application No									
	3. Copies of the certified copies of			eived in this National	l Stage				
application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.									
	ree the attached detailed Office action	i ioi a list oi tile cert	med copies not rec	eiveu.					
Attachment 1) Notice	t(s) e of References Cited (PTO-892)		4)	mary /PTO 442\					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date									
	nation Disclosure Statement(s) (PTO-1449 or F r No(s)/Mail Date	PTO/SB/08)	5) Notice of Inform 6) Other:	mal Patent Application (PT	O-152)				
S Patent and Trademark Office									

PTOL-326 (Rev. 1-04)

Application/Control Number: 09/927,009 Page 2

Art Unit: 1733

DETAILED ACTION

1. This action is in response to the amendment filed on 7/8/05.

2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claim Rejections - 35 USC § 103

3. Claims 1 and 3(1) are rejected under 35 U.S.C. 103(a) as being unpatentable over Jacobs (U.S. Patent 5,194,487).

Jacobs discloses a method for forming a moisture reactive adhesive. Jacobs teaches a first step of reacting first components including a high molecular weight polyol (e.g. a polyester polyol) having a molecular weight in the range of 400-6,000, a low molecular weight polyol (e.g. polyester polyol) have a molecular weight less than 400, and a polyisocyanate in an OH:NCO ratio (i.e. isocyanate reactive group to isocyanate group ratio) of 1.1-4.1 to form a hydroxylfunctional prepolymer (Column 3, lines 12-68 and Column 4, lines 1-15 and 32-68 and Column 5, lines 1-14 and 41-50 and Column 8, lines 25-33). Jacobs teaches a second step of admixing second components including the prepolymer, additional polyisocyanate, and additional polyol (e.g. polyether polyol), the polyol in amounts of 2 to 20% by weight, in an NCO:OH ratio of 0.8-6 and allowing the admixture to react and form a moisture reactive adhesive, it being noted the moisture reactive adhesive taught by Jacobs is capable of melting as the moisture reactive adhesive is consistent and in agreement with the hot melt adhesive disclosed and claimed by applicants (Column 2, lines 40-60 and Column 11, lines 24-30 and the Examples). Jacobs

Art Unit: 1733

further teaches solvent may be added to the moisture reactive adhesive to form an aqueous dispersion that can be applied according to the techniques set forth in Markusch (U.S. Patent 4,408,008).

Regarding the particular values claimed for the polyol molecular weight, OH:NCO ratio of the first components, weight ratio of prepolymer to additional polyol, and NCO:OH ratio of the second components, the ranges suggested by Jacobs fully encompass or substantially overlap the claimed ranges such that these values appear intrinsic to Jacobs. Furthermore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to experimentally determine these values as a function of the desired end properties of the moisture reactive adhesive produced as doing so would have required nothing more than ordinary skill and routine experimentation.

4. Claims 2 and 3(2) are rejected under 35 U.S.C. 103(a) as being unpatentable over Jacobs as applied to claims 1 and 3(1) above, and further in view of Graham (U.S. Patent 6,365,700).

Jacobs as applied above teaches all of the limitations in claims 2 and 3(2) except for a specific teaching of using crystalline polyester polyol as the polyol of the second components, it being noted Jacobs is not limited to any particular polyol and specifically suggests using polyols including diols such as ethylene glycol, propylene glycol, butanediol, etc. (i.e. diols incorporated into polyester polyols) in addition to a specific suggestion of polyether polyol (Column 2, lines 40-60). It would have been well within the purview of one of ordinary skill in the art at the time the invention was made to use as the polyol of the second components taught by Jacobs a crystalline polyester polyol as both crystalline polyester polyol and polyether polyol were

Application/Control Number: 09/927,009

Art Unit: 1733

equivalent alternatives in the art as shown for example by Graham and only the expected results would be achieved.

Graham discloses a method for forming a moisture reactive hot melt adhesive (Column 1, lines 21-29). Graham teaches a first step of reacting first components including a polyol (e.g. a polyester polyol) having a molecular weight in the range of 2,000-15,000 and a polyisocyanate in an NCO:OH ratio of 0.7-1.4 to form a hydroxyl-functional prepolymer (Column 1, lines 61-67 and Column 2, lines 7-9, 14-16, 37-39, 44-46, and 49-53). Graham teaches a second step of admixing second components including the prepolymer, additional polyol (e.g. crystalline polyester polyol or polyether polyol) in amounts of 30-60% prepolymer and 5-70% additional polyol, and additional polyisocyanate in an NCO:OH ratio of 1.2-3 and allowing the admixture to react (Column 3, lines 29-34, 38-46, and 51-62). Graham teaches the moisture reactive hot melt adhesive is used to bond a variety of substrates (Column 1, lines 26-29).

5. Claims 4(1) and 4(2) are rejected under 35 U.S.C. 103(a) as being unpatentable over Jacobs as applied to claims 1 and 3(1) above (and Jacobs and Graham as applied to claims 2 and 3(2) above), and further in view of Hansel et al. (U.S. Patent 5,162,457).

Jacobs and Graham as applied above teach all of the limitations in claims 4(1) and 4(2) except for a specific teaching of applying the moisture reactive adhesive as a hot melt and using the moisture reactive adhesive as a bonding agent. As noted above, Jacobs suggests applying the moisture reactive adhesive in an aqueous dispersion. However, it would have been obvious to one of ordinary skill in the art at the time the invention was made to apply the moisture reactive adhesive taught by Jacobs (and Jacobs as modified by Graham) as a hot melt as it was preferable in the art to apply adhesives of this type as a hot melt as opposed to an aqueous dispersion to

Art Unit: 1733

avoid the expense/time associated with drying the aqueous component as shown by Hansel et al. Additionally, it would have been well within the purview of one of ordinary skill in the art at the time the invention was made to use the adhesive taught by Jacobs (and Jacobs as modified by Graham) as a bonding agent for adhering two substrates as this was a well known and conventional use for compositions of this type as shown for example by Hansel et al. Regarding the specific hot melt temperature, it would have been obvious to one of ordinary skill in the art at the time the invention was made to experimentally determine the hot melt temperature taught by Jacobs as modified by Hansel et al. (and Jacobs as modified by Graham and Hansel et al.) as a function of the particular adhesive composition as doing so would have required nothing more than ordinary skill and routine experimentation.

Hansel et al. disclose a method for forming a two-component, moisture reactive, isocyanate group containing hot melt adhesive substantially similar to that taught by Jacobs (See abstract). Hansel et al. teach the adhesive is applied as a hot melt rather than as an aqueous dispersion to avoid the expense/time associated with drying the aqueous component (Column 1, lines 9-16). Hansen et al. further teach the adhesive is used as a bonding agent applied as a hot melt and cured through moisture of the atmosphere or from the application of water (Column 5, lines 18-35).

Art Unit: 1733

Response to Arguments

Page 6

6. Applicant's arguments filed 7/8/05 have been fully considered but they are not persuasive.

Regarding claims 1 and 3(1) applicant argues, "Jacobs discloses no such teaching about bonding two substrates together <u>anywhere</u> in its disclosure, but discloses the following in Column 11, lines 34-44:".

Claim 1 and 3(1) are directed to a specific polymer composition and as such the claims are not commensurate in scope with this argument. Further, Jacobs is combined with Hansel et al. to provide motivation for using the adhesive composition of Jacobs as a bonding agent.

Regarding claims 1 and 3(1) applicant further argues, "First, neither components of Jacobs composition can be combined with Applicants hot melt adhesive nor a blend of Jacobs composition can be combined witch Applicants hot melt adhesive."

Claims 1 and 3(1) are rejected over Jacobs. Jacobs is not combined with applicants invention.

Regarding claims 1 and 3(1) applicant further argues, "Second, a high gloss polyurethane coating prepared from an aqueous dispersion is not equivalent to a moisture cured hot melt adhesive used to bond two or more substrates together forming a polyurethane according to the inventor and persons of average skill in the art."

Claims 1 and 3(1) require forming a specific polymer composition. The polymer composition taught by Jacobs is the same as that claimed such that either composition could be considered a coating or an adhesive as both would function accordingly.

Regarding claims 1 and 3(1) applicant further argues, "Third, Applicants respectfully submit Examiner has not met his burden of establishing prima facie case of obviousness by pointing out any teaching or suggestion within Jacobs to modify Jacobs high gloss coating to transform it to a useful adhesive for bonding two or more substrates together."

Application/Control Number: 09/927,009

Art Unit: 1733

Claim 1 and 3(1) are directed to a specific polymer composition and as such the claims are not commensurate in scope with this argument. Further, Jacobs is combined with Hansel et al. to provide motivation for using the composition of Jacobs as a bonding agent.

Regarding claims 2 and 3(2) applicant argues, "With all due respect, Examiner cannot pick and choose a crystalline polyester polyol of Graham and combine it with Jacobs composition. Since Jacobs compositions are incompatible with Applicants moisture cured hot melt adhesive, there is no motivation to combine references."

Jacobs is combined with Graham to provide motivation for using a crystalline polyester polyol as opposed to the polyether polyol suggested by Jacobs as both are functionally equivalent as shown by Graham.

Regarding claims 4(1) and 4(2) applicant argues, "Moreover, there is no motivation to combine a hot melt of Hansel with an aqueous polyurethane dispersion that produces a high gloss coating in Jacobs.".

Jacobs is combined with Hansel et al. wherein Hansel et al. is merely exemplary of the conventional use of an adhesive composition of the same type as Jacobs as a bonding agent for adhering two substrates.

Conclusion

7. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

Application/Control Number: 09/927,009

Art Unit: 1733

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to John L. Goff whose telephone number is (571) 272-1216. The examiner can normally be reached on M-F (7:15 AM - 3:45 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tom Dunn can be reached on (571) 272-1171. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

John L. Goff

GROUP 1300

Page 8